



## Automatic Large Venue Projectors HD 3LCD WUXGA 4K 20000Lm

### Our Product Introduction

#### Basic Information

- Brand Name: Yeoan
- Model Number: YG1606U
- Minimum Order Quantity: 5
- Packaging Details: Carton box size: 745\*\*370\*630mm (not including len)
- Delivery Time: 15 days
- Payment Terms: L/C, T/T, Western Union



#### Product Specification

- Display Technology: 3LCD
- Projection Light Source: Laser
- Light Luminance: 20000 Lumens
- Standard Resolution: WUXGA (1920 X 1200)
- Projection Ratio: 1.24-2.01 :1
- Aspect Ratio: 16:10 Native:16:10(Compatible: 4:3/16:9)
- Focus Mode: Electric Motorized
- Keystone Correction: Automatic, Vertical:  $\pm 30$  Degrees Horizontal:  $\pm 30$  Degrees
- Projection Mode: 360° Projection
- Highlight: **HD 3LCD Large Venue Projectors,**  
**3LCD WUXGA Large Venue Projectors,**  
**20000Lm large venue 4k projector**

for more products please visit us on [projector-hd.com](http://projector-hd.com)

## Product Description

### Highlights:

- Edge blending
- Lens shift function
- Adjustable brightness
- Lens position memory, lens lock function
- Sealed dustproof design
- NFC function
- Timer power on/off function
- 30,000H ultra-long laser life
- 3,000,000:1 dynamic contrast ratio
- Projection ratio: 1.24-2.01
- Hexagonal correction & multi-point correction
- 360° all-round projection

### Application:

Widely used at large venues, optional lens for different projection distance.

| Projector specifications |   |
|--------------------------|---|
| Model No.:               | YG1606U   |
| Display technique        | 3LCD  |
| Standard resolution      | 1920 x 1200   |
| Brightness(TYP)          | 20000   |
| contrast ratio           | 5000,000:1  |
| throw ratio              | 1.24-2.01 @100  |
| projection picture size  | 60~500"   |
| focus mode               | electric motorized  |
| Power consumption        | 100~240V@ 50/60Hz   |
| Power consumption        | 1155W(max)/1000W( normal )<br>825W(ECO 1)/580W(ECO 2)   |
| speaker                  | N/A   |
| Noise                    | 46dB(max / standard)43dB(ECO 1)/41dB(ECO 2)<br>【* testing environment temp. 23±2 ,testing standard. ISO 7779:2018】          |
| dimension(mm)            | 599X240.2X493.8(w/o lens)   |
| product N.W. (kg)        | 28.9  |
| keystone correction      | V: ±30° ; H:±30°;<br>4-corner correction, multi-point correction, curved surface correction                                 |
| projection mode          | 360°<br>Table front projection; ceiling mounted front projection;<br>ceiling mounted rear projection; table rear projection |
| VGA                      | *1  |
| DVI                      | *1  |
| HDMI 1                   | *1  |
| HDMI 2                   | *1  |
| HDMI OUT                 | *1  |
| LAN                      | *1  |
| Wired R/C IN             | *1  |
| Wired R/C OUT            | *1  |
| USB-B                    | *1  |

|                        |          |
|------------------------|----------|
| USB-A                  | *1       |
| RS-232 IN              | *1       |
| RS-232 OUT             | *1       |
| AUDIO IN               | *1       |
| AUDIO OUT              | *1       |
| HD BASET               | *1       |
| DMX512                 | *1       |
| DVI                    | *1       |
| SDI                    | optional |
| accessories            |          |
| machine                | *1       |
| power cord             | *1       |
| remotor                | *1       |
| DMX512 wire            | *1       |
| user guide             | *1       |
| acceptance certificate | *1       |
| screws                 | M4*6     |
| power cord buckle      | *1       |
| HDMI wire              | *1       |

## high-end projectors







**Hefei Yeoan Information And Technology Co.,Ltd.**



+8613866663080



zero@yeoan.com



projector-hd.com

No. 79 Kexue Avenue, Keyuan Pioneer Center, High-tech Zone, Hefei City, Anhui Province.