Hotel Horizontal Kiosk Stand Touch Query Machine Full HD LCD Panel 43"

Basic Information

- Brand Name: YEOAN
- Model Number: QM-43
- Minimum Order Quantity: 50
- Packaging Details: Packing carton: 1075*690*160 mm
- Delivery Time: 30days
- Payment Terms: L/C, T/T

Product Specification

- Viewing Angle: 178°
- Response Time: 8 Ms
- Contrast Ratio: 1200:1
- Resolution: 1920x1080
- Mounting Type: Standing
- Brightness: 350 Cd/m²
- Connectivity: HDMI, VGA, USB
- Touch Screen: Yes
- Visible Size: 940.2*529 Mm
- Screen Size: 43inches
- Display Type: LCD
- Aspect Ratio: 16:9
- Operating System: Android
- Highlight: **LCD horizontal kiosk stand**,
                         Full HD horizontal kiosk stand,
                         Full HD query machine

Product Description

Description:
It uses a full HD 1920*1080 LCD panel with a 178-degree viewing angle, high contrast and brightness. It has a 3D interactive touch display. All operations are controlled on the screen surface. There is no delay in touch and the response is sensitive. It can easily realize handwriting, drawing, annotation and other functions. It is smooth to use, stable and reliable. It has a stylish appearance and is easy to install. It is widely used in hotel lobbies, shopping malls, supermarkets, libraries and other places.

Feature:
Multi-point intelligent touch control
The 55-inch vertical infrared touch all-in-one machine has fast response speed, strong light resistance, driver-free, plug-and-play excellent performance, and can smoothly support handwriting recognition input.
High-definition resolution
The 55-inch vertical infrared touch all-in-one machine adopts a full HD (1920*1080) LCD panel,
with a 178-degree viewing angle, high contrast and brightness 3D digital noise reduction, intelligent elimination of residual images, ghosting
and other distortion phenomena, making the display clearer, more stable, more colorful, and realistic tones.
Multimedia information processing
Real-time video, audio decoding, real-time video, audio playback; compatible with a variety of image, animation
audio formats have Ethernet network interfaces, support centralized control through TCP/IP networks, can be
through routers, optical cables, metropolitan area networks, PSTN, etc., the system can even be distributed all over the world,
realize super information release through wide area networks (Internet), and achieve human-computer interaction.
Integrated design
The product design is simple and elegant, more aesthetic, cost-effective, supports wall-mounted installation and floor-standing installation, easy installation, rich maintenance door, easy and convenient maintenance, industrial-grade parts, better heat dissipation, lower power consumption, metal front frame design, fine workmanship, and humanized detail design.

Specifications:

Display parameters	
Screen size	43"
Resolution	1920*1080(pixels)
Pixel pitch	0.49*0.49 mm
Brightness	350cd/m² (typ.)
Contrast	1200:1 (typ.)
Color	16.7M (8bit)
Response time	8ms (typ.)
Viewable area (H*V)	940.2*529 mm
Angle (H*V)	178°/ 178°
Service life	30,000 hrs (typ.)
Mainboard parameters (optional)	RK3566 motherboard (2K solution)
Operating system	Android 11
Chip	RK3566 quad-core cortex A55 main frequency 1.8GHz
Memory	2G
Storage	16G
Network	100M Ethernet/WiFi-2.4G
Video format	MPEG2-4,H.264,H.265, etc.
Image format	JPG, JPEG, BMP, PNG, etc.
Menu language	Chinese/English, etc.
External connection port	
USB2.0	*1 (supports 1 USB 3.0)
USB2.0 (OTG)	*1
HDMI interface	*1 (supports HDMI output)
RJ45	*1
WIFI 2.4G antenna	*1
Touch parameters	
Touch type	Infrared touch
Number of touch points	10 points
Power supply	
Speaker power	5W*2
Standby power	≤0.5W
Power supply of the whole machine	AC110V-220V,50-60 Hz
Power of the whole machine	≤100W
Working environment	
Working temperature	0 ~40
Working humidity	20% 85% (no condensation)
Storage temperature	-10 60
Storage humidity	10% 60% (no condensation)
Material	
Housing material	Aluminum frame + tempered glass + metal back cover
Housing color	Silver + black frame + black back cover
Dimensions	
machine size (W*H*D)	995.1*589*63.5 mm

Packaging size (W*H*D)	1075*690*160 mm
VESA hole	400*400mm, 4*M8 screw
Weight	
Net weight	34KG
Gross weight	38KG
Accessories	
Power cord	*1
Warranty card	*1
Certificate of conformity	*1
Wall mount	*1
Dimensional drawing	

餐厅
restaurant

候机厅
departure hall

党政宣传厅
Party and government propaganda Hall

房产售楼部
Real estate sales department

公司前台
company reception desk

公司展厅
Company exhibition hall

Hefei Yeoan Information And Technology Co.,Ltd.

+8613866663080   zero@yeoan.com   projector-hd.com

No. 79 Kexue Avenue, Keyuan Pioneer Center, High-tech Zone, Hefei City, Anhui Province.