



200 Inch Standard Throw Laser LCD Projector For Gaming 5000lm

Our Product Introduction

for more products please visit us on projector-hd.com

Basic Information

- Brand Name: Yeoan
- Model Number: YA506
- Minimum Order Quantity: 5
- Packaging Details: Packaging Box Dimensions (WxDxH mm): 492*443*239
- Delivery Time: 15 days
- Payment Terms: L/C, T/T, Western Union



Product Specification

- Brightness: 5000lm Mkt
- Display Technology: 3LCD
- Projection Light Source: Laser
- Standard Resolution: XGA (1024 X 768)
- Projection Size: 30-300"
- Projection Ratio: 1.48~1.78 1
- Projectioin Screen: 30-300 Inch
- Aspect Ratio: Native:16:10 Compatible: 4:3/16:9
- Focus Mode: Manual
- Keystone Correction: V: $\pm 30^\circ$ H $\pm 30^\circ$ 4 Corner
- Inputs: HDMI, VGA, USB, RS232, RJ45
- Built-In Speakers: Yes
- Contrast Ratio: 5,000,000:1
- Highlight: **5000lm laser lcd projector,**
200 inch laser lcd projector,
200 inch standard throw laser projector

Product Description

Suitable for a wide variety of applications, this projector is perfect for anywhere that requires a clean bright image including large venues, classrooms, lecture theatres, museums, houses of worship, digital signage or immersive installations.

This versatile projector combines high brightness and vivid colors for lifelike visuals in any environment. Make an impression with bigger, bolder presentations, every time.

Color & White Brightness of 5000 Lumens

3LCD display technology

1024*768 Native Chip Resolution

Up to 30,000 Hours of Laser Life

1.2X, 1.6X and 1.66X zoom lenses

5,000,000:1 dynamic contrast ratio

HDR Color Support

2 x HDMI & 1 x HDBaseT Inputs

Key parts		
	Panel	SONY 0.63"
	Throw Ratio	1.48~1.78:1
	Zoom Ratio	1.2X Zoom
	Lens Shift	N/A
	Light source	LASER
Brightness		
ISO21118	Brightness --MKT	5000
	Brightness --TYP	4500
	Brightness --MIN	
Overall Spec		
Light source Life time	FullNormal/Normal mode	20000hrs
	ECO1 mode	30000hrs
	ECO2 mode	30000hrs
Projection Lens	F	1.6~1.76
	f	19.158~23.018mm
	Zoom/Focus	Manual
	Throw Ratio	1.48~1.78:1
	Zoom Ratio	1.2x optics
	Screen size	30-300 inch
	Lens Shift	N/A
CR	Dynamic Contrast Ratio (FOFO)	5000,000:1
	Native Contrast Ratio (FOFO)	400:1 (Min)
Noise	Noise(dB)	37dB(Normal) 30dB(ECO1) 28dB(ECO2)
Uniformity	Uniformity(Actual Min) -ISO21118	80%
AR	Aspect Ratio	Native:4:3 Compatible: 16:9/16:10
Terminal(I/O port)		
Input	VGA	*1
	HDMI	*2
	Video	*1
	Audio in (mini jack,3.5mm)	*1
	Audio in (RCA×2) <Audio L/R>	*1
	USB-A	*1
	USB-B	*1 (Display)
	RJ45	*1 (Display)
	YCbCr/Component	N/A
	S-Video	N/A
Output	VGA	*1
	Audio out (mini-jack,3.5mm)	*1
Control	RS232	*1
	RJ45	*1 (Control)
	Other Interface	N/A
General Spec		
Audio	Speaker	16W*1

Dust filter		W/Filter
Filter Life time		7000h
Power Consumption	Power Requeirements	100~240V@ 50/60Hz
	Power Consumption (Normal) (Max)	235
	Power Consumption (ECO1) (Max)	175
	Power Consumption (ECO2) (Max)	160
	ECO Standby Mode Power Consumption	<0.5W
Temp.&Humidity	Operating Temp.	0 to 40deg.C
	Operating Thumidity.	20-80%
	Storage Temp.	'-10 to 50deg.C
	Storage Thumidity.	10-85%
	High altitude	0-3000m
Other Functions		
Keystone	Keystone Correction (Lens@center)	V: ±30° H:±30° 4 corner
OSD	Languages	26 languages: English, German, French, Italian, Spanish, Polish, Swedish, Dutch ,Portugese, Japanese, Simplified Chinese, Traditional Chinese, Korean, Russian, Arabic, Turkish, Finnish, Norwegian, Danish, Indonesian, Hungarian, Czech, Kazak,Vietnamese,Thai, Farsi
LAN Control	LAN Control-RoomView (Crestron)	Yes
	LAN Control--AMX Discovery	Yes
	LAN Control--PJ Link	Yes
Scanning Frequency	H-Synch Range	15~100KHz
	V-Synch Range	24~85Hz
Display Resolution	Computer Signal Input	VGA, SVGA, XGA, SXGA,WXGA,UXGA,WUXGA,4K @30Hz
	Video Signal Input	480i, 480p, 576i, 576p, 720p, 1080i and 1080p
SW setting	Auto Setup	INPUT SEARCH,AUTO PC,Auto Keystone
	Blank	Yes
	Suspend	Yes(5miniutes no singnal as default
	Picture mode	Dynamic,Standard,Cinema, Colorboard,,Blackboard(Green)
	Cooling time	5s
	Closed caption	Yes
	Auto Ceiling	Yes
	D-Zoom	1~19
Others	360° projection	Yes
	Wireless display (Optional function)	SmartPhone: Android:Install APK for Android iphone: Airplay function PC : Support WiFi Display@Windows&MAC system through dongle
Dimension&Weight		
	MAX Dimensions (WxDxH mm)	390*294*128
	Net. Weight (KG)	5Kg
	Packaging Box Dimensions (WxDxH mm)	492*443*239
	Gross. Weight (KG)	~6.5Kg
Accessory		
	Manual Languages	Chinese,English
	Standard Accessories	Power cord Remote control&RC Battery
Regulation List		
WW	CB	√
	cTUVus	√
US	FCC	√

	FDA	√
EU	CE-EMC	√
	CE-LVD	√
	CE-ERP	√
	IEC60825-1:2007	class1
EMC Class		
	EMC Class	Class B@3dBm



Hefei Yeoan Information And Technology Co.,Ltd.



+8613866663080



zero@yeoan.com



projector-hd.com

No. 79 Kexue Avenue, Keyuan Pioneer Center, High-tech Zone, Hefei City, Anhui Province.