



## 3800lm 1080p Led Projector Home Theater 0.235:1 Laser Source 3LCD for Meeting Room

Our Product Introduction

### Basic Information

- Brand Name: Yeoan
- Model Number: YA385U
- Minimum Order Quantity: 5
- Packaging Details: packing size: 470\*410\*166mm
- Delivery Time: 15 days
- Payment Terms: L/C, T/T, Western Union



### Product Specification

- Brightness: 3800lm
- Projection Ratio: TR 0.235:1
- Projection Light Source: Laser
- Display Technology: 3LCD
- Standard Resolution: WXGA
- Aspect Ratio: Native:16:10 Compatible: 4:3/16:9
- Focus Mode: Manual
- Keystone Correction: Auto, Vertical And Horizontal
- Highlight: **3800lm led projector home theater, 1080p led projector home theater, Laser 1080p home theater projector**

for more products please visit us on [projector-hd.com](http://projector-hd.com)

## Product Description

Make everyday entertainment epic with the this Ultra short throw Laser Projector. Whether watching movies and TV shows or gaming with the whole family, the projector will deliver an immersive experience for everyone with amazing picture quality. The larger-than-life display size up to 120" provides a front-row seat to all the action and the convenient ultra short throw design allows the projector to be placed close to the wall for easy viewing. Perfect for your living room, the projector features advanced 3-chip 3LCD technology to produce crisp, clear and colorful images—even in brightly lit environments.

**Highlights:** Fashion design and light weight, ultra short throw 0.235:1

WUXGA 1920 x 1200, 4200 lumen brightness,

Latest system, Auto keystone correction, Wireless screen sharing,

HDMI port, 2.4G/5G WIFI, Silent fan, 360° projection,


### Application:

Widely used at home, classroom, office, meeting room, hotel, hospital, school, church, factories and son on.

	Brightness (Anti Lumen)	3800
	Resolution	WUXGA
Key parts		
	Panel	SONY 0.64"
	Throw Ratio	0.235:1
	Zoom Ratio	N/A
	Lens Shift	N/A
	Light source	LASER
Overall Spec		
Light source Life time	FullNormal/Normal mode	20000hrs
	ECO1 mode	30000hrs(TBD)
	ECO2 mode	TBD
Projection Lens	F	1.7
	f	2.94mm
	Zoom/Focus	Manual
	Throw Ratio	0.235:1
	Zoom Ratio	N/A
	Screen size	80-120 inch
	Lens Shift	N/A
CR	Dynamic Contrast Ratio (FOFO)	5000,000:1
	Native Contrast Ratio (FOFO)	350:1(Min)
Noise	Noise(dB)	TGT: 37dB(Normal) 27dB(ECO1)
Uniformity	Uniformity(Actual Min) -ISO21118	80%
AR	Aspect Ratio	Native:16:10 Compatible: 4:3/16:9
Terminal(I/O port)		
	VGA	*1
	HDMI	*2
	Video	*1

Input	Audio in (mini jack,3.5mm)	*1
	Audio in (RCA×2) <Audio L/R>	*1
	USB-A	*1
	USB-B	*1(Display)
	RJ45	*1(Display)
	YCbCr/Component	N/A
	S-Video	N/A
Output	VGA	*1
	Audio out (mini-jack,3.5mm)	*1
Control	RS232	*1
	RJ45	*1 (Control)
	USB-B	*1
	LAN	*1
General Spec		
Audio	Speaker	16W*1
Dust filter		W/Filter
Filter Life time		7300h(TBD)
Power Consumption	Power Requeirements	100~240V@ 50/60Hz
	Power Consumption (Normal) (Max)	TBD
	Power Consumption (ECO1) (Max)	TBD
	Power Consumption (ECO2) (Max)	TBD
	ECO Standby Mode Power Consumption	<0.5W
Temp.&Humidity	Operating Temp.	5 to 40°C
	Operating Thumidity.	20-80%
	Storage Temp.	-10 to 50°C
	Storage Thumidity.	10-85%
	High altitude	1700-3000m
Other Functions		
Keystone	Keystone Correction (Lens@center)	V: ±15° H: ±15° Pincushion/Barrel Correction 4 corner 6 Corner Geometry correction Grid image tune
OSD	Languages	26 languages: English, German, French, Italian, Spanish, Polish, Swedish, Dutch ,Portugese, Japanese, Simplified Chinese, Traditional Chinese, Korean, Russian, Arabic, Turkish, Finnish, Norwegian, Danish, Indonesian, Hungarian, Czech, Kazak,Vietnamese,Thai, Farsi
LAN Control	LAN Control- RoomView (Crestron)	Yes
	LAN Control-- AMX Discovery	Yes
	LAN Control-- PJ Link	Yes
Scanning Frequency	H-Synch Range	15~100KHz
	V-Synch Range	24~85Hz

Display Resolution	Computer Signal Input	VGA, SVGA, XGA, SXGA, WXGA, UXGA, WUXGA, 4K@30Hz
	Video Signal Input	480i, 480p, 576i, 576p, 720p, 1080i and 1080p
SW setting	Auto Setup	INPUT SEARCH,AUTO PC,Auto Keystone
	Blank	Yes
	Suspend	Yes(5miniutes no singnal as default)
	Picture mode	Dynamic, Standard, Cinema, Colorboard, Blackboard(Green)
	Cooling time	5s
	Closed caption	Yes
	Auto Ceiling	Yes
	D-Zoom	1~19
Others	360° projection	Yes
	Wireless display (Optional function)	SmartPhone: Android:Install APK for Android iphone: Airplay function PC: Support WiFi Display@Windows&MAC system through dongle
Dimension&Weight		
	MAX Dimensions (WxDxH mm)	470*410*166; With lens protrusion
	Net. Weight (KG)	9Kg
Accessory		
	Manual Languages	Chinese,English
	Standard Accessories	Power cord Remote control&RC Battery





**Hefei Yeoan Information And Technology Co.,Ltd.**



+8613866663080



zero@yeoan.com



projector-hd.com

No. 79 Kexue Avenue, Keyuan Pioneer Center, High-tech Zone, Hefei City, Anhui Province.