



55 Inch Horizontal Kiosk Infrared Touch All In One Machine Multimedia Information

Our Product Introduction

Basic Information

- Brand Name: YEOAN
- Model Number: QM-55
- Minimum Order Quantity: 50
- Packaging Details: Packing carton: 1350*848*160 mm
- Delivery Time: 30days
- Payment Terms: L/C, T/T



Product Specification

- Screen Size: 55 Inches
- Resolution: 1920x1080
- Display Type: LCD
- Viewable Area: 1209.6*680.4 Mm
- Pixel Pitch: 0.63* 0.63mm
- Viewing Angle: 178°
- Response Time: 8 Ms
- Contrast Ratio: 1200:1
- Brightness: 350 Cd/m²
- Connectivity: HDMI, VGA, USB
- Touch Screen: Yes
- Operating System: Android Or Windows
- Highlight: **horizontal kiosk Machine,
Multimedia horizontal kiosk,
all in one kiosk Machine**

for more products please visit us on projector-hd.com

Product Description

Description:

The touch all-in-one machine is composed of advanced touch screen, motherboard (high-performance, low-power industrial-grade special motherboard, Intel processor), memory, hard disk (high-speed solid-state hard disk), graphics card and other electronic components. It is the same as the working principle of traditional PC. The appearance structure of the touch all-in-one machine adopts ergonomic design, which is slim and beautiful, simple and elegant. The body shell is made of high-quality cold-rolled plate, and the surface is industrial-grade paint process wear-resistant design, rust-proof, anti-magnetic, and anti-static. Through the intelligent operation platform, it can realize public information query, advertising display, media interaction, conference content display, offline experience store product display, etc. The operation is simple, fast, safe and stable, meeting more daily interactive display needs, and supporting 7X24 hours of uninterrupted and smooth operation.

Feature:

Multi-point intelligent touch control

The 55-inch vertical infrared touch all-in-one machine has fast response speed, strong light resistance, driver-free, plug-and-play excellent performance, and can smoothly support handwriting recognition input.

High-definition resolution

The 55-inch vertical infrared touch all-in-one machine adopts a full HD (1920*1080) LCD panel, with a 178-degree viewing angle, high contrast and brightness 3D digital noise reduction, intelligent elimination of residual images, ghosting

and other distortion phenomena, making the display clearer, more stable, more colorful, and realistic tones.

Multimedia information processing

Real-time video, audio decoding, real-time video, audio playback; compatible with a variety of image, animation audio formats have Ethernet network interfaces, support centralized control through TCP/IP networks, can be through routers, optical cables, metropolitan area networks, PSTN, etc., the system can even be distributed all over the world, realize super information release through wide area networks (Internet), and achieve human-computer interaction.

Integrated design

The product design is simple and elegant, more aesthetic, cost-effective, supports wall-mounted installation and floor-standing installation, easy installation, rich maintenance door, easy and convenient maintenance, industrial-grade parts, better heat dissipation, lower power consumption, metal front frame design, fine workmanship, and humanized detail design.

Specifications:

| | |
|------------------------------------|---|
| size | 55" |
| Display parameters | |
| Panel size | 55" |
| Resolution | 1920*1080(pixels) |
| Pixel pitch | 0.63* 0.63mm |
| brightness | 350cd/m ² (typ.) |
| Contrast | 1200:1 (typ.) |
| Color | 16.7M (8bit) |
| Response time | 8ms (typ.) |
| Viewing area (H*V) | 1209.6*680.4 mm |
| Angle (H*V) | 178°/178° |
| Service life | 30,000 hrs (typ.) |
| Mainboard parameters (optional) | Windows motherboard (2K solution) |
| Running the system | Win 7/Win 10 |
| chip | I5-3210MDual-core four-thread main frequency 2.5GHz |
| Memory | 4G |
| storage | 128G |
| network | 100M/1000MEthernet/WiFi-2.4G |
| Video Format | MPEG2-4,H.264wait |
| Image Format | JPG, JPEG, BMP, PNG,wait |
| Menu language | Chinese/English, etc. |
| External connection port | |
| USB2.0 | *2(支持2路USB 3.0) |
| USB2.0(OTG) | *2 |
| HDMIinterface | *1(supportHDMIOutput) |
| RJ45 | *1 |
| WIFI 2.4Gantenna | *1 |
| Touch parameters | |
| Touch Type | Infrared touch |
| Touch points | 10point |
| power supply | |
| Speaker power | 5W*2 |
| Standby power | ≤0.5W |
| Power supply for the whole machine | AC110V-220V,50-60 Hz |
| Machine power | ≤150W |
| Work Environment | |
| Operating temperature | 0 ~40 |
| Operating humidity | 20%~85%(No condensation) |
| Storage temperature | -10 60 |
| Storage humidity | 10%~ 60%(No condensation) |

| | |
|--|--|
| Material | |
| Housing Material | Aluminum frame + tempered glass + metal back cover |
| Shell color | Silver + black frame + black back cover |
| size | |
| Bare metal size (W*H*D) | 1275.2*754.2*73.9 mm |
| External dimensions of packaging (W*H*D) | 1350*848*160 mm |
| VESAhole | 400*400mm, 4*M8screw |
| weight | |
| net weight | 50KG |
| Gross Weight | 55KG |
| appendix | |
| Power cord | *1 |
| Warranty card | *1 |
| Certificate | *1 |
| Wall Mount | *1 |
| Dimensions | |



Hefei Yeoan Information And Technology Co.,Ltd.



+8613866663080



zero@yeoan.com



projector-hd.com

No. 79 Kexue Avenue, Keyuan Pioneer Center, High-tech Zone, Hefei City, Anhui Province.