



## 65" Touch Query Horizontal Digital Kiosk Stand For Public Information Advertising

Our Product Introduction

### Basic Information

- Brand Name: YEOAN
- Model Number: QM-65
- Minimum Order Quantity: 50
- Packaging Details: Packing carton: 1565\*960\*160 mm
- Delivery Time: 30days
- Payment Terms: L/C, T/T



### Product Specification

- Screen Size: 65 "
- Display Type: LCD
- Viewable Area: 1430.5×805.6mm
- Pixel Pitch: 0.37\*0.37mm
- Resolution: 1920x1080
- Contrast Ratio: 1200:1
- Viewing Angle: 178°
- Response Time: 8 Ms
- Brightness: 350 Cd/m²
- Voltage: AC110V-220V,50-60 Hz
- Connectivity: HDMI, VGA, USB
- Touch Screen: Infrad Touch
- Operating System: Android Or Windows
- Customized: Yes
- Highlight: **Query horizontal digital kiosk,**

for more products please visit us on [projector-hd.com](http://projector-hd.com)

## Product Description

### Feature:

#### Multi-point intelligent touch control

The 65-inch infrared touch all-in-one machine has fast response speed, strong light resistance, driver-free, plug-and-play excellent performance, and can smoothly support handwriting recognition input.

#### High-definition resolution

This infrared touch all-in-one machine adopts a full HD (1920\*1080) LCD panel, with a 178-degree viewing angle, high contrast and brightness 3D digital noise reduction, intelligent elimination of residual images, ghosting

and other distortion phenomena, making the display more clearer, stable, colorful, and realistic tones.

#### Multimedia information processing

Real-time video, audio decoding, real-time video, audio playback; compatible with a variety of image, animation audio formats have Ethernet network interfaces, support centralized control through TCP/IP networks, can be through routers, optical cables, metropolitan area networks, PSTN, etc., the system can even be distributed all over the world, realize super information release through wide area networks (Internet), and achieve human-computer interaction.

#### Integrated design

The simple and elegant design, more aesthetic, cost-effective, supports wall-mounted installation and floor-standing installation, easy installation, rich maintenance door, easy and convenient maintenance, industrial-grade parts, better heat dissipation, lower power consumption, metal front frame design, fine workmanship, and humanized detail design.


### Description:

It uses a full HD 1920\*1080 LCD panel with a 178-degree viewing angle, high contrast and brightness 3D interactive touch display. All operations are controlled on the screen surface, with no touch delay and sensitive response. It can easily realize handwriting, drawing, annotation and other functions. It is smooth to use, stable and reliable, with a stylish appearance and easy installation. It is widely used in hotel lobbies, shopping malls, supermarkets, libraries and other places.

### Specifications:

|                                    |  |
|------------------------------------|--|
| size                               | 65"  |
| Display parameters                 |  |
| Panel size                         | 65"  |
| Resolution                         | 1920*1080(pixels)                                  |
| Pixel pitch                        | 0.37*0.37mm  |
| brightness                         | 350cd/m <sup>2</sup> (typ.)                        |
| Contrast                           | 1200:1 (typ.)                                      |
| Color                              | 16.7M (8bit)                                       |
| Response time                      | 8ms (typ.)   |
| Viewing area (H*V)                 | 1430.5×805.6mm                                     |
| Angle (H*V)                        | 178°/178°  |
| Service life                       | 30,000 hrs (typ.)                                  |
| Mainboard parameters (optional)    |  |
| Running the system                 |  |
| chip                               |  |
| Memory                             |  |
| storage                            |  |
| network                            |  |
| Video Format                       |  |
| Image Format                       |  |
| Menu language                      |  |
| External connection port           |  |
| USB2.0                             |  |
| USB2.0(OTG)                        |  |
| HDMIinterface                      |  |
| RJ45                               |  |
| WIFI 2.4Gantenna                   |  |
| Touch parameters                   |  |
| Touch Type                         | Infrared touch                                     |
| Touch points                       | 10point  |
| power supply                       |  |
| Speaker power                      | 5W*2   |
| Standby power                      | ≤0.5W  |
| Power supply for the whole machine | AC110V-220V,50-60 Hz                               |
| Machine power                      | ≤180W  |
| Work Environment                   |  |
| Operating temperature              | 0 ~40  |
| Operating humidity                 | 20%~85%(No condensation)                           |
| Storage temperature                | -10 ~ 60   |
| Storage humidity                   | 10%~ 60%(No condensation)                          |
| Material                           |  |
| Housing Material                   | Aluminum frame + tempered glass + metal back cover |
| Shell color                        | Silver + black frame + black back cover            |
| size                               |  |
| Bare metal size (W*H*D)            | 1492.2*871*76.3 mm                                 |

|  |                      |
|--|----------------------|
| External dimensions of packaging (W*H*D) | 1565*960*160 mm      |
| VESAhole                                 | 400*400mm, 4*M8screw |
| weight                                   |                      |
| net weight                               | 60KG                 |
| Gross Weight                             | 66KG                 |
| appendix                                 |                      |
| Power cord                               | *1                   |
| Warranty card                            | *1                   |
| Certificate                              | *1                   |
| <a href="#">Wall Mount</a>               | *1                   |
| Dimensions                               |                      |



# Excellent detail quality

## Ergonomic comfort experience



Humanized horizontal design, comfortable operation experience, no need to bend over, just reach out and use



Rounded corner design,  
aluminum edging



Thermal design  
porous heat dissipation



Ergonomic design and  
comfortable operation



customized size and shape



**Hefei Yeoan Information And Technology Co.,Ltd.**



+8613866663080



zero@yeoan.com



projector-hd.com

No. 79 Kexue Avenue, Keyuan Pioneer Center, High-tech Zone, Hefei City, Anhui Province.