

Business Wall Mounted Digital Advertising Screen LCD monitor 240V 18.5 inch

Basic Information

Brand Name: YEOAN
Model Number: TA-185
Minimum Order Quantity: 100

• Packaging Details: Packing carton: 520*345*110 mm

Delivery Time: 30daysPayment Terms: L/C, T/T









Product Specification

Screen Size: 18.5 InchDisplay Type: LCD

Power Supply: AC 100-240V, 50/60Hz

Viewing Angle: 178°
Response Time: 14 Ms
Contrast Ratio: 1200:1
Resolution: 1920x1080
Brightness: 250 Cd/m²
Connectivity: HDMI, VGA, USB
Operating System: Android Or Windows

• Language Menu: English, Chinese And Other Languages

Metal Shape: Can Be Customized
 Frame Colour: Can Be Customized
 Starting Up: Auto-loop Playback

Highlight: 18.5 inch wall mounted digital advertising

Product Description

Ultra-HD 1920*1080 pixels high resolution IPS screen, excellent color reproduction and uniformity, brightness 250cd/m², contrast ratio 1200:1, show you a superior visual experience. IPS 178° full wider viewing angle suitable for sharing video with multiple people.

Playback method

Insert the U disk/SD card with pictures, videos and other materials into the advertising machine, and automatically play in a loop

Function display

Equipped with 8G SD card storage, the vertical screen source cannot be automatically converted, and needs to be converted to split screen playback through computer software. Vertical screen and split screen playback need to be made. It is recommended to use the smart stand-alone version.

Image format:

JPG/PNG/BMP (color mode is RGB Video format: AVL

MP4, MPG, MOV, etc. [Speed 25-30FPS or less, video code stream supports a maximum of 20M/S] Music format: MP3, WM4

size	18.5"	
Display parameters		
Panel size	18.5"	
Resolution	1920*1080(pixels)	
Pixel pitch	0.21*0.21 mm	
brightness	250cd/m² (typ.)	
Contrast	1200:1 (typ.)	
Color	16.7M (8bit)	
Response time	14ms (typ.)	
Viewing area (H*V)	409.8*230.4 mm	
Angle (H*V)	178° / 178°	
Service life	30,000 hrs (typ.)	
Mainboard parameters		
(optional)	RK3566 motherboard (2K solution)	
Running the system	Android 11	
chip	RK3566Quad Core cortex A55Frequency1.8GHz	
Memory	2G	
storage	2G 16G	
network	1.5.5.	
Video Format	100MEthernet/WiFi-2.4G	
	MPEG2-4,H.264,H.265,wait	
Image Format	JPG, JPEG, BMP, PNG,wait	
Menu language	Chinese/English, etc.	
External connection port		
USB2.0	*1(support1roadUSB 3.0)	
USB2.0(OTG)	*1	
HDMIinterface	*1(supportHDMIOutput)	
RJ45	*1	
WIFI 2.4Gantenna	*1	
power supply		
Speaker power	5W*2	
Standby power	≤0.5W	
Power supply for the whole machine	AC110V-220V,50-60 Hz	
Machine power	≤40W	
Work Environment		
Operating temperature	0 ~40	
Operating humidity	20%~85%(No condensation)	
Storage temperature	-10 60	
Storage humidity	10%~ 60%(No condensation)	
Material	1070 0070(140 001100113011011)	
Housing Material	Aluminum frame + tempered glass + metal back cover	
Shell color	Silver + black frame + black back cover	
size		
Bare metal size (W*H*D)	443.4*267.4*56.2 mm	
External dimensions of packaging(W*H*D)	520*345*110 mm	
VESAhole	100*100mm, 4*M4screw	
weight	,	
net weight	4KG	
Gross Weight	4.5KG	
appendix	nonce	
Remote Control	*1	
riomote control	<u>'</u>	

Power cord	*1	
Warranty card	*1	
Certificate	*1	
Wall Mount	*1	

Welcome to customize the different size of the display screen.



[⁻]More new upgrades

and powerful attacks



Smart split screen*

Multiple modes



Built-in WIFI

wireless networking



remote control

Off-site release



Loop play

Program carousel



Hanging horizontally and vertically

Flexible switching



Super performance

Configuration upgrade



multi-touch

Responsive



Timer switch

Save time and effort



4K

Ultra HD display

Android system: supports Android application software

download Windows system: compatible with various Windows system software, and can also be

connected to the host as a display via HDMI cable








Windows





U disk import and play programs

Easy import of USB flash drive, plug and play loop playback



Convenient multi-region division

The display area can be freely divided, pictures and videos can be combined at will, and the built-in templates

can also be customized to create advertisements

Set date, time, location, temperature, weather, air quality



Play video ads

Set the font color and size of the scrolling subtitles

Play image ads

Timing settings in different periods

Timing settings for different time periods


The system supports multiple time period program presets, different programs automatically switch seamlessly according to time periods without black screen, and timed power on and off





Application scenarios

Shopping center/mall/bank/hotel/subway/enterprise



yeoan Hefei Yeoan Information And Technology Co.,Ltd.





zero@yeoan.com



projector-hd.com

No. 79 Kexue Avenue, Keyuan Pioneer Center, High-tech Zone, Hefei City, Anhui Province.