



3D Interactive Holographic Display Projection Transparent Film Glass Window Monitor Computer

Basic Information

• Payment Terms:

Brand Name: Yeoan or OEM
Model Number: D2019
Minimum Order Quantity: 50
Price: negotiate
Packaging Details: talk with me
Delivery Time: 30 days



Product Specification

Width: 1520mm
Maximum Length: 25meters
Thickness: 100UM
Light Transmittance: 92%
Viewing Angle: 150
Hardness: 2H

Projection Type: Rear Projection

• Contrast Ratio: 500:1

• Highlight: 3D interactive holographic display,

Transparent Film interactive holographic

display

L/C, T/T

, Interactive hologram monitor computer

Product Description

Product name: holographic transparent projection film; model: D-2019

Product advantages:

Let the image float on the glass wall,

You can query information on ordinary glass walls,

Through the floating image, you can also see the scene inside the glass wall,

Three-dimensional special effects, text, pictures, videos, interactive content can be added at will

The source is simple to make, and the background can be black.

Scope of application: windows, specialty stores, stages, exhibition halls, exhibitions, virtual hosts.

Projection film product features: This product has the characteristics of anti-oxidation and anti-corrosion, long service life, wide viewing angle, not afraid of strong light, not afraid of water, strong color reproduction, high saturation, strong light rate, and both sides can be imaged. The appearance is simple and ultra-thin, beautiful and generous, fully reflecting the fashionable and avant-garde atmosphere. The screen size can be customized or combined according to actual requirements. The product has been updated with technology, the surface is not easy to scratch, and it is easy to care during use. Super light! Not afraid of water and sunlight, the image quality is clear. There is no distinction between inside and outside and direction, and both upright and long strips can be used. Whether it is round, triangular or square, it can be freely made into the desired shape. There is no limit to the projection angle of the projector. It can be combined and expanded infinitely, and spliced seamlessly. It can be customized according to special needs. It is easy to install and construct without damaging the original hardware space and decoration.

It is made of high-quality smooth polyester film, which is composed of a diffusive adhesive layer, a hard-processed layer, and an anti-static layer. It can be easily used or suspended electric.


Suitable temperature range: 0°C~60°C


Elasticity (temperature): 0°C (-0.034%), 40°C (+0.34%)


Elasticity (humidity): 20°C 100%RH (+0.059%)


Weight: about 250g/ Thickness UM 100 Width MM 1520 Length M 25 Glue layer Yes Transmittance 92% Viewing angle 150 Contrast 500:1 Gain value 1.0

Projection method: Rear projection type Features: Transparent wide viewing angle













Hefei Yeoan Information And Technology Co.,Ltd.

+8613866663080

zero@yeoan.com projector-hd.com

No. 79 Kexue Avenue, Keyuan Pioneer Center, High-tech Zone, Hefei City, Anhui Province.