

Packing carton: 1845*710*160 mm



55" Industrial Floor Standing Digital Signage Display Player LCD Screen High Brightness

Basic Information

- Brand Name:
- Model Number:
- LS550-55 Intity: 50

YEOAN

30days

L/C, T/T

- Minimum Order Quantity:Packaging Details:
- Delivery Time:
- Payment Terms:



Prod	luct	Sn	ecif	ica	tion
100	uci	Op	con	ica	

 Viewing Angle: 	178°
 Response Time: 	8 Ms
 Contrast Ratio: 	1200:1
 Resolution: 	3840*2160 (pixels)
 Mounting Type: 	Standing
 Brightness: 	350 Cd/m ²
Touch Screen:	Yes
Dimensions:	979.4*568.6*67.6 Mm
Screen Size:	55 Inches
 Display Type: 	LCD
 Aspect Ratio: 	16:9
 Operating System: 	Android
 Viewing Area: 	681.4*1210.6mm
Pixel Pitch:	0.31*0.31mm
 Highlight: 	55" floor standing digital signage display

Product Description

Description:

The digital advertising machine can paly company presentations, products and services and much more information can on the digital display. The advertising stele is ideal for use in showrooms, at trade fairs, in the catering trade or in entrance areas. With a screen diagonal of 55 in (9:16) and a resolution of 3840*2160 (pixels), you will attract the attention of passers-by and potential customers.

RK3188 cortex-A17 quad-core CPU, first-class computing power and video decoding capabilities, supports HDMI video output and input, multiple screen drive interfaces, 7 USB interfaces, 4 expandable serial ports, can meet the needs of various peripherals on the market, and is equipped with the multimedia information publishing system independently developed by Zhongchuang United to realize multi-terminal advertising unified management control and playback.

Examples of applications:

Grocery shop to inform customers

Entrance area of offices or banks

Showrooms for product presentation

Canteens and canteen kitchens to present menus

Route information at trade fairs

Feature:

1: BG series products adopt new environmental protection technology, high stability, can adapt to and work normally in harsh environments

2: Professional industrial LCD screen, video images are clearer, natural, delicate, and visually more impactful.

3: Ultra-thin design concept, thickness is only 18mm, stylish and generous appearance.

4: With automatic adjustment function to enhance the image layering

5: With automatic elimination of residual image function to protect the long-term use of LCD screen

6: High resolution, high contrast, high brightness, greatly improve the picture layering, can better show details.

7: With an ultra-long service life of more than 60,000 hours, and can work 7*24 hours uninterruptedly


Specifications:

Specifications.	
size	55"
Display parameters	
Panel size	55"
Resolution	3840*2160 (pixels)
Pixel pitch	0.31* 0.31mm
brightness	350cd/m ² (typ.)
Contrast	1200:1 (typ.)
Color	1.07B (8bit)
Response time	8ms (typ.)
Viewing area (H*V)	681.4*1210.6mm
angle	178° / 178°
Service life	30,000 hrs (typ.)
Mainboard parameters (optional)	Windows motherboard (2K solution)
Running the system	Win 7/Win 10
chip	I5-3210MDual-core four-thread main frequency 2.5GHz
Memory	4G
storage	128G
network	100M/1000MEthernet/WiFi-2.4G
Video Format	MPEG2-4,H.264wait
Image Format	JPG, JPEG, BMP, PNG,wait
Menu language	Chinese/English, etc.
External connection port	
USB2.0	*2(support2roadUSB 3.0)
USB2.0(OTG)	*2
HDMIinterface	*1(支持HDMI 出)
RJ45	*1
WIFI 2.4G天	*1
Touch parameters	
Touch Type	Infrared touch
Touch points	10point
power supply	
Speaker power	5W*2
Standby power	≤0.5W
Power supply for the whole	AC110V-220V,50-60 Hz
machine	
i	≤150W
Work Environment	
Operating temperature	0 ~40
	20%~85%(No condensation)
Storage temperature	-10 60
Storage humidity	10%~ 60%(No condensation)
Material	
Housing Material	Aluminum frame + tempered glass + metal back cover
Operating temperature Operating humidity Storage temperature Storage humidity	0 ~40 20%~85%(No condensation) -10 60

Shell color	Silver + black frame + black back cover (optional)
size	
Bare metal size (W*H*D)	749.6*1915*38 mm
External dimensions of packaging (W*H*D)	1968*860*160 mm
VESAhole	none
weight	
net weight	47KG
Gross Weight	54KG
appendix	
Power cord	*1
Warranty card	*1
Certificate	*1
Wall Mount	*1







Factory workshop

We have a 10,000 square meter modern factory, 3 floors of fully automatic production lines, 1 floor of dust-free workshop, 1 floor of full hardware accessories production line, 1 floor of advanced intelligent digital exhibition hall. We strive for excellence, pursue every detail, and pursue better quality. At present, we have covered most of the commercial display equipment production.













房地产售楼部 Real estate sales department

汽车4S店 Automobile 4S shop

@ | # # # # . O



政务大厅 Government hall



bank



商场 market 酒店大厅 Hotel lobby

UCONT Hefei Yeoan Information And Technology Co.,Ltd.

€ +8613866663080 E zero@yeoan.com

projector-hd.com

No. 79 Kexue Avenue, Keyuan Pioneer Center, High-tech Zone, Hefei City, Anhui Province.