



# 4000lm Portable Office Projector 4K WUXGA High Resolution OEM

#### **Basic Information**

Brand Name: Yeoan
Model Number: YA406U
Minimum Order Quantity: 200

• Packaging Details: Packaging Box Dimensions (WxDxH mm):

492\*443\*239

• Delivery Time: 15 days

• Payment Terms: L/C, T/T, Western Union



### **Product Specification**

Display Technology: 3LCDStandard Resolution: WUXGABrightness: 4000lm

• Projection Light Source: Lamp Light Source

Lamp Source: 225WThrow Ratio: 1.26-2.09:1

• Aspect Ratio: Native:16:10 Compatible: 4:3/16:9

Focus Mode: ManualBuilt-In Speakers: YesZoom: 1.66x

• Highlight: 4000lm portable office projector,

WUXGA portable office projector,

4k wuxga Projector

### **Product Description**

This projector use 3LCD display technology allows you to enjoy the original color and exquisite picture quality, compared with DLP technology, it adopts the new generation 3LCD display technology to delicately restore the vivid vision.

The projector with a contrast ratio of 15000:1 has a more natural and delicate picture quality, and the gray details are clear.

It uses a large aperture 1.2/1.6x lens, which has a wider range of installation positions and is suitable for various harsh installation environments. The lamp life in ECO mode is up to 20,000 hours. Based on 8 hours per working day, it is expected to last up to 10 years. (Calculated based on 250 working days per year)

Suitable for a wide variety of applications, this projector is perfect for anywhere that requires a clean bright image including large venues, classrooms, lecture theatres, museums, houses of worship, digital signage or immersive installations.

This versatile projector combines high brightness and vivid colors for lifelike visuals in any environment. Make an impression with bigger, bolder presentations, every time.

Specific	ation:	
Key par		
<u> </u>		LCX183A-(B11 DML)
	Panel	W/ Micro Lens
	Lens	F1.7x1.66
	Light source	225W Infinity(Lamp)
	Main IC	Pixworks: PWC878
	Sony IC	CXD3553+CXA3832
Duiadata		UND355+UNA3632
Brightne		
	Brightness (Marketing)	4000
	( Ansi Lumens )	
	Brightness (Typ)-90% ( Ansi Lumens )	3600
	Brightness (Min)-80%	0000
	(Ansi Lumens)	3200
	Power consumption(MAX)	320
	(Im/W) (Brightness Min/ Power	
	consumption)	9
	Light source	Lamp:225W
Overall	-	- Carrip LEOVV
Overall	Display Panel	3x0.64"
Panel		In the second se
	Display Technology	Liquid Crystal Display
	Native Resolution	WUXGA (1920 x 1200)
Lamp	Lamp Consumption(W)	225W Infinity(Lamp)
Lamp	Lamp Lifetime(H)	10000H(Normal) /20000H(ECO)
	Zoom/Focus	Manual
	Throw Ratio	70"@1.904m 1.26~2.09:1
	F	F1.7x1.66
Projecti	f	f=17.5~29.01mm
, ,	Zoom Ratio	1.66x optics
	Screen size	0.812~13.869m(30"~300")
	Lens Shift V	N/A
	Lens Shift H	N/A
CD.		
CR	Contrast Ratio(Min)	15000:1 (w/IRIS)
Noise	Noise(dB)@1m	ECO: 30dB Normal: 37dB
Uniform	Uniformity(Actual Min)	
ity	-JISX6911	80%
AR	Aspect Ratio	16:10 (Standard)/4:3(Compatible)
Terminal(I/O port)		
	IVGA	*1
Input	HDMI 1.4	*2
	Video	-  *1
	Audio in	
	(mini jack,3.5mm)	*1
	Audio in(L/R)	<u> </u>
	RCA	*1
		*1
	USB-A 2.0	I
	USB-B	*1(Display)
	RJ45	*1(Display)
	YCbCr/Component	N/A
	S-Video	N/A
Output	VGA	*1
	Audio out	*4
	(mini-jack,3.5mm)	*1
Control	RS232	*1
	R 145	*1 (Control)
	USB-B	*1(for up-grade)
	Other Interface	N/A



## Hefei Yeoan Information And Technology Co.,Ltd.



+8613866663080



zero@yeoan.com



projector-hd.com

No. 79 Kexue Avenue, Keyuan Pioneer Center, High-tech Zone, Hefei City, Anhui Province.