



Ultra Narrow Outdoor Theater Screens Projectorscreens Aviation Grade 100-120 inch

Basic Information

- Brand Name:
- Model Number:
- Minimum Order Quantity:
- Delivery Time: 30 working days
- Payment Terms:



Product Specification

- Size:
- Material:

• Frame Material:

• Mount Type:

100"-120"

Yeoan Y-S

50

Composite PET+short Focus Anti - Glare Screen Corrosion-Resistant Aviation Grade

L/C, T/T, Western Union

- Wall Mounted
- Usuage:
- Highlight:
- Honeycomb Al.
- Indoor
- Ultra Narrow outdoor theater screens, Aviation Grade outdoor theater screens, Outdoor projectorscreens

Product Description

- A new generation of anti-light hard projector screen adopts a new honeycomb briquette imaging structure.
- ♦ Hard screen and mirror flatness contribute to effectively controling picture distortion.
- The screen surface treated with nano-coating is silver gray with light resistance as high as 98%,
- which canmake people watch it in daytime or in the light-on environment.
- Maximize the interference of ambient light on the picture and improve the brightness and color of thepicture.
- The Contrast can be increased by 800% compared with ordinary white fabric.
- ♦ The ultra-narrow aluminum alloy frame with black paint can be called a usable artwork.
- Ultra-narrow frame treated with black painting is simple and elegant
- The nested aluminum alloy combination and suspension outlookis suitable for any decoration style.
- Spring-structured installation prevents the screen from deformationcaused by temperature difference.

♦ Sliding hanging bracket enables a convenient installation5. It can be widely applied in home theatre, personal clubs and exclusivevillas.



基材结构 Base Structure

②铝板+③铝蜂窝板+④镀锌钢板

(2)Aluminum Plate + (3)Aluminum Honeycomb Plate + (4)Galvanized Steel Plate

双层耐腐航空级蜂窝铝板作为基材,稳定坚固平整,抗蠕变不变形,热不胀冷不缩,防潮防火防霉 Double-layer corrosion-resistant aviation grade honeycomb aluminum plate as the base material,stable, firm, flat, creep-resistant and deformation-resistant, heat-resistant and cold-resistant, moisture-proof, fire-proof and mildew-proof.

幕布材质 the curtain material	硬幕: 复合PET+短焦抗光幕 hard curtain: composite PET+short focus anti - glare screen	
结构类型 structure type	固定框架幕 fixed frame screen	
边框厚度 the thickness of the border	8mm、15mm、20mm	
尺寸 size	100-120寸	
比例 ratio	16: 9	
增益 gain	0.9	
可视角度 Viewing Angle	150°	
抗光率 Light resistance rate	98%	
分辨率 resolution ratio	符合4K标准 4K compliance	

