



3600lm 3LCD Projector Smart 4K For Education And Meeting 20000h Long Life Light Source

Our Product Introduction

for more products please visit us on projector-hd.com

Basic Information

- Brand Name: Yeoan
- Certification: CCC CE CB FCC
- Model Number: YSA437
- Minimum Order Quantity: 50
- Packaging Details: Packaging Box Dimensions (WxDxH mm): 442*386*195mm
- Delivery Time: 15 days
- Payment Terms: L/C, T/T, Western Union



Product Specification

- Brightness: 3600lm
- Display Technology: 3LCD
- Projection Light Source: Lamp
- Standard Resolution: 4k
- Projection Size: 30-300"
- Throw Ratio: 1.26~2.09 1
- Projectioin Screen: 30-300 Inch
- Aspect Ratio: Native:16:10 Compatible: 4:3/16:9
- Focus Mode: Manual
- Lens Shift: Yes
- Keystone Correction: V: $\pm 30^\circ$ H $\pm 30^\circ$ 4 Corner
- Inputs: HDMI, VGA, USB, RS232, RJ45
- Built-In Speakers: Yes
- Contrast Ratio: 400:1
- Highlight: 20000h 3LCD Projector, 3600lm 3LCD Projector,



More Images



Product Description

3600 lumens brightness ensures that the picture is still clear even in bright light environments. Even when projected directly onto a white wall, the picture remains clear. 4K UHD resolution and HDR technology can present a more realistic and vivid picture effect, with bright colors and rich details, so that you can enjoy a cinema-level visual experience at home.

- 3000-3600lm high brightness projector
- 3LCD display technology
- 4K (3840*2160)
- Up to 200,00 Hours of lamp Life
- 1.66X zoom lenses
- HDR Color Support

Model No.:	YSA437
brightness	3600lm
Android	
Android chip	T972
DDR	2GB
eMMC	32GB
WiFi	2T2R
Bluetooth	4.2
Android	9.0
Wireless screen projection	Third PartyAPP
Specification	
Display Panel	3x0.64"
Display Technology	Liquid Crystal Display
Resolution	4K (3840*2160)
Lamp life	10000H(normal) 20000H(Energy saving)
Zoom /Focus	Manual
Throw Ratio	70"@1.904m;1.26~2.09:1
F	F1.7x1.66
f	f=17.5~29.01mm
Zoom ratio	1.66x optics
Screen size	0.812~13.869m(30"~300")
Contrast	400:1
noise(dB)@1m	Energy saving: 34dB;normal: 38dB
Uniformity	80%
other	
Power specifications	100~240V@ 50/60Hz
Energy-saving standby power consumption	<0.5W
trumpet	1*5W
Operating temperature	0 ~40 (36~ ECO)
Storage temperature	-10 ~50
Operating humidity	20%~80%
Ventilation opening (air inlet /Air outlet	Side profile
Light bulb cover	top
Filter cover	side
Filter	ESD filterStatic electricity
Software Features	
Keystone Correction	V:±30 °; H:±30 ° 4Corner Correction
Horizontal scanning frequency	15~100KHz
Vertical scanning frequency	48~85Hz
Video signal input	up to 3840x2160/60Hz
Menu language	English ,Chinese
Image Mode	Dynamic, Standard, Cinema, Color Palette,sim-DICOM, blackboard (green)
Mute	Yes
Bulb Mode	normal ,Energy saving
Filter cleaning cycle	500 hours
Cooling time	fast(0s) , normal(60s)

High altitude	Yes(1400~2700m)
Terminals	
HDMI	HDMI2.0 *2
USB-A 2.0	*2
network	*1
S/PDIF	*1
Audio Output (mini-jack,3.5mm)	*1
Wireless screen projection	Via APP
size &weight	
Product size	345*261*99mm
net weight	~3.4kg
Packing size	442*386*195mm
Gross Weight	4.7kg



Hefei Yeaoan Information And Technology Co.,Ltd.



+8613866663080



zero@yeoan.com



projector-hd.com

No. 79 Kexue Avenue, Keyuan Pioneer Center, High-tech Zone, Hefei City, Anhui Province.