



## 8500lm DLP Projector Long Life Lamp Light Source XGA WXGA WUXGA For Large Venue

Our Product Introduction

### Basic Information

- Brand Name: Yeoan
- Certification: CCC CE CB FCC
- Model Number: YA8500
- Minimum Order Quantity: 20
- Price: negotiate
- Packaging Details: Packaging Box Dimensions (WxDxH mm): 495\*440\*230
- Delivery Time: 15 days
- Payment Terms: L/C, T/T, Western Union



### Product Specification

- Brightness: 8500lm
- Display Technology: DLP
- Projection Light Source: Lamp Light Source
- Standard Resolution: XGA (1024x768)
- Projection Size: 30-300"
- Throw Ratio: Lens Optional
- Aspect Ratio: Native:16:10 Compatible: 4:3/16:9
- Focus Mode: Mortorized
- Keystone Correction: V:  $\pm 30^\circ$  H  $\pm 15^\circ$  Corner
- Contrast Ratio: 2800:1
- Highlight: **8500lm DLP Projector,  
DLP Projector For Large Venue**

for more products please visit us on [projector-hd.com](http://projector-hd.com)

## Product Description

With up to 8,500 lumen high brightness, this projector can deliver extremely clear images even in environments with strong light. The long-life lamp light source allows users to enjoy a very low maintenance expense. In addition, this environmentally friendly projection solution also features a compact design for easy transportation. Capable of creating images up to 300 inches in 1080p Full HD resolution, this projector is ideal for conference rooms, lecture halls, auditoriums, and other large spaces. With 1.3x optical zoom, LAN control, H/V keystone correction, 4-corner adjustment, 360° projection, portrait mode, and more, you can set up more easily and use it flexibly in various scenarios.

7300-8500lm in brightness  
 DLP display technology  
 WUXGA (1920 x 1200)  
 Up to 40,000 Hours of lamp Life  
 1.3X zoom lenses  
 optional lenses  
 2800:1 ultra-high contrast ratio  
 HDR Color Support

Model	YA-8500X	YA-7500W	YA-7500U
Brightness	8500	7300	7500
Display technology	DLP 0.7" DMD	DLP 0.65" DMD	DLP 0.67" DMD
Resolution	XGA (1024x768)	WXGA (1280x800)	WUXGA (1920x1280)
Light source life	Normal:2000hrs/ECO:4000hrs Normal:4000hrs/ECO:8000hrs	Normal:2000hrs/ECO:4000hrs Normal:4000hrs/ECO:8000hrs	Normal:2000hrs/ECO:4000hrs Normal:4000hrs/ECO:8000hrs
Zoom	Powered 1.35:1	Powered 1.35:1	Powered 1.35:1
Throw Ratio	100"@3.5m	100"@3.8m	100"@3.6m
Screen size	40"~300"	40"~300"	40"~300"
Lens shift V	±55%	±55%	±55%
Lens shift H	±10%	±10%	±10%
	2800:1	2800:1	2800:1
Noise	36dB	36dB	36dB
conformity	80%	80%	80%
aspect ratio	4:3 (Standard)/16:9(Compatible)	16:10 (Standard)/4:3(Compatible)	16:10 (Standard)/16:9(Compatible)
Interface			
VGA	*1	*1	*1
BNC	*5	*5	*5
DVI-D(with HDCP)	*1	*1	*1
Video	*1	*1	*1
S-Video	*1	*1	*1
HDMI	*1	*1	*1
Audio in L/R	--RCA	N/A	N/A
USB-Type A	N/A	N/A	N/A
USB-Type B	N/A	N/A	N/A
RJ45	N/A	N/A	N/A
VGA	*1	*1	*1
Other Interface	N/A	N/A	N/A
RS232 Input	*1	*1	*1
RS232 Output	*1	*1	*1
RJ45	*1	*1	*1
Remote 1(RS232)	*1	*1	*1
Wired remote(IN)	*1	*1	*1
Wired remote(OUT)	*1	*1	*1
Other Interface	N/A	N/A	N/A
trumpet	N/A	N/A	N/A
power supply	100~240V@ 50/60Hz	100~240V@ 50/60Hz	100~240V@ 50/60Hz
Power consumption	830W	830W	830W
Economy mode standby	<0.5W	<0.5W	<0.5W
	Yes(HEPA)	Yes(HEPA)	Yes(HEPA)

Keystone Correction	V: $\pm 30^\circ \pm 15^\circ$ Pincushion/Barrel Correction Corner Keystone	V: $\pm 30^\circ \pm 15^\circ$ Pincushion/Barrel Correction Corner Keystone	V: $\pm 30^\circ \pm 15^\circ$ Pincushion/Barrel Correction Corner Keystone



**Hefei Yeoan Information And Technology Co.,Ltd.**



+8613866663080



zero@yeoan.com



projector-hd.com

No. 79 Kexue Avenue, Keyuan Pioneer Center, High-tech Zone, Hefei City, Anhui Province.