



6000lm Long Throw Business Projector Good Performance For Vedio Playing And PPT Diplay

Our Product Introduction

for more products please visit us on projector-hd.com

Basic Information

- Brand Name: Yeoan
- Model Number: YA556W
- Minimum Order Quantity: 5
- Packaging Details: Packaging Box Dimensions (WxDxH mm): 510 W)*498(D)*260(H)
- Delivery Time: 15 days
- Payment Terms: L/C, T/T, Western Union



Product Specification

- Brightness: 6000lm
- Display: 3LCD
- Projection Light Source: Laser
- Standard Resolution: WXGA 1280 X 800)
- Throw Ratio: 1.2~2.1 1
- Aspect Ratio: Native:16:10 Compatible: 4:3/16:9
- Focus Mode: Manual
- Keystone Correction: V: $\pm 30^\circ$ H $\pm 30^\circ$
- Lens Shift: V: 55% 0%、 H: $\pm 26\%$
- Highlight: **PPT Diplay Business Projector,
Long Throw Business Projector,
6000lm DLP Business Projector**



Product Description

6000lm Long Throw Business Projector

High-Performance Projection for Video Playback and PPT Presentations

Key Features

- 300-inch giant screen projection capability
- 5,000,000:1 dynamic contrast ratio for vivid imagery
- Low-noise operation (as low as 27dB in ECO2 mode)
- Diffuse reflection imaging technology for eye protection
- Optional wireless projection module
- Hexagonal and multi-point correction for precise alignment
- 360° projection capability for flexible installation

Technical Specifications

Display Technology

3LCD with MLA (0.64" panels)

Brightness

6000lm (Max), 5500lm (Typical), 4800lm (Min)

Resolution

WXGA (1280 × 800) native, compatible with 4:3/16:9

Light Source

Laser (20,000-30,000 hours lifespan)

Throw Ratio

1.2-2.1:1 with 1.66x zoom

Lens Shift

Vertical: +55% to 0%, Horizontal: ±26%

Keystone Correction

Vertical: ±30°, Horizontal: ±30°

Power Consumption

220-350W depending on mode

Connectivity

Inputs	Outputs	Control
VGA (×1), HDMI 1.4B (×2), USB-A (×1), USB-B (×1), RJ45 (×1), HD BaseT (optional)	VGA (×1), Audio out (3.5mm)	RS232 (×1), RJ45 (×1), USB-B (for upgrade)

Applications

Ideal for home theaters, classrooms, conference rooms, hotels, hospitals, schools, churches, and industrial environments.

Additional Features

- 26-language OSD support
- LAN control compatibility (Crestron, AMX, PJ Link)
- Multiple picture modes including Dynamic, Standard, Cinema, and Blackboard
- Auto ceiling projection capability
- Digital zoom (1-33x)
- Built-in 16W speaker

Physical Specifications

Dimensions (W×D×H)	Weight
405 × 358 × 137mm (Unit), 510 × 498 × 260mm (Packaged)	7.7kg (Unit), 10.2kg (Packaged)

Certifications

CCC, CB, cTUVus, FCC, FDA, CE-EMC, CE-LVD, CE-ERP (Class A EMC)



Hefei Yeoan Information And Technology Co.,Ltd.



+8613866663080



zero@yeoan.com



projector-hd.com

No. 79 Kexue Avenue, Keyuan Pioneer Center, High-tech Zone, Hefei City, Anhui Province.