



Smart Interactive Whiteboard

Our Product Introduction

for more products please visit us on projector-hd.com

Basic Information

- Place of Origin: China
- Brand Name: Yeoan
- Model Number: YAY-83X
- Minimum Order Quantity: 20
- Delivery Time: 15 days
- Payment Terms: L/C, D/A






Product Specification

- Specification: 83";86";96";106";120";(Customization Is Available.)



More Images



Our Product

Product Description



Product features

Infrared electronic whiteboard

Featuring an industry-first 8.5mm ultra-narrow bezel design, plastic flat corners, and a variety of sizes , customization is also

available. It includes four-stage shortcut keys, touch switches, and display stand switches

Shuangpin Internet Green Board

Multiple electronic boards are perfectly integrated. Personalized shortcut keys allow for simultaneous display of the writing screen

Android whiteboard (recommended for meetings)

The Android box features a back-mounted design that integrates perfectly with the whiteboard, making it convenient and easy to use. No tools are required; simply connect it to a projector and it's ready to use anytime

1,Specification

Touch Screen Size	83";86";96";106";120";(Customization is available.)
Touch Activation Force	No pressure required
Luminous Transmission	>92%(100% with no glass)
Reported Touch Resolution	Without Driver:32768*32768
Touch Response Time(Multi touch)	10-15ms
Touch Response Time(One touch)	7ms
Minimum Recognition Point Size	4mm*4mm
Touch Object Size Recognition	Yes
Interface	USB 1.5米,7P USB 1.5米

2,Electrical Specification:

Touch Refresh Rate	≥80Hz
Communication	USB 2.0 Full Speed
PowerSupply Mode	USB*1
Working Voltage	DC 5.0V±5%
Average Current	≤200mA
Power Cunsumption	≤ 1.0W
LED Lifetime	60000hours

Fault-tolerant	Able to work if less than 10% non-consecutive sensors are damaged
----------------	---

3,Environmental Specification:

Humidity	Up to 90% RH from 0°C to +40°C, non-condensing
Temperature Range	Working temperature:-10 50 Storage temperature:-20 60
ESD	EN 6100-4-2 2008:3 level.4KV contact discharge and 8KV air discharge
Anti-light Interference	Excellent

4,Software Specification:

Firmware Upgrade	USB Upgrade: Win 8,Win 7
Support OS(Multi touch)	Win10,Win8,Wins7,Andriod
Support OS (One touch)	WindowsXP,MacOS.





Hefei Yeoan Information And Technology Co.,Ltd.



+8613866663080



zero@yeoan.com



projector-hd.com

No. 79 Kexue Avenue, Keyuan Pioneer Center, High-tech Zone, Hefei City, Anhui Province.